



COLUMN SCHEDULE						
REF.	SIZE	COMMENTS				
C2	300mm DIA. RC COLUMN					
C4	250mm DIA. RC COLUMN					
C5	200x510mm RC COLUMN					
C6	200x450mm RC COLUMN					
C7	300x620mm RC COLUMN					

ALL BASEMENT CONCRETE TO BE CALTITE OR SIMILAR TO EXTEND INTO GF SLAB BY Im

BASEMENT RETAINING WALLS TO BE PROPPED USING WALERS ETC. UNTIL GROUND FLOOR SLAB HAS BEEN CAST

DRAINAGE POSITIONS SHOWN
INDICATIVELY REFER TO
ARCHITECT FOR SETTING OUT

OTES:			Job	Title	MBP Michael Barclay Partnership
THIS DRAWING TO BE READ IN CONJUNCTION TH ALL RELEVANT ARCHITECTS AND GINEERS DRAWINGS AND SPECIFICATIONS.			CROSSACRES	BASEMENT PLAN	consulting engineers
GINEERS DRAWINGS AND SPECIFICATIONS.					105-109 Strand
					London WC2R 0AA
		C2 30/10/12 REVISED TO ARCHTECTS	CD Drawing Status	Scale @ A0	<b>T</b> 020 7240 1191 <b>F</b> 020 7240 224
		C1 17/09/12 CONSTRUCTION ISSUE	ME CONCTRUCTION	Drawing Number Revision	E london@mbp-uk.com
			CONSTRUCTION	5236 / 101 C2	www.mbp-uk.com
		Rev Date Description	Ву	5230 / 101	