

NOTES: 1. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.

					Job CROSSACRES	Title GROUND	, ROUND FLOOR PLAN		c	Michael Barclay Partnership consulting engineers 105-109 Strand London WC2R 0AA	
									_ L		
					Drawing Status	Scale @ A0 1 : 50	Date 07/12	By CD	Checked RM	Т	020 7240 1191 F 020 7240 2241
	17/0	2/10			CONCEPTION				Revision	E london@mbp-uk.com	
C1	17/09/	19/12	CONSTRUCTION ISSUE	MF	CONSTRUCTION				01	w	www.mbp-uk.com
Rev	Date		Description	Ву		5236 / 102		C1			

LEGEND:							
	EXISTING STRUCTURE TO BE RETAINED						
	NEW REINFORCED CONCRETE STRUCTURE						
	NEW BRICKWORK						
	NEW LOADBEARING BLOCKWORK						
B1	NEW STEEL BEAM AND REFERENCE. REFER TO SCHEDULE FOR TYPE AND SIZE						
P1 P1 OR WWW	NEW PADSTONE AND REFERENCE. REFER TO SCHEDULE FOR TYPE AND SIZE.						
C1	COLUMN REFERENCE						
¢	COLUMN BELOW SYMBOL						
	TWO-WAY SPAN OF RC SLAB. REFER TO LAYOUT FOR DEPTH.						
	ONE-WAY SPAN OF RC SLAB. REFER TO LAYOUT FOR DEPTH.						
~ >	PRECAST CONCRETE PLANKS						
////	SPAN OF 50x175mm DEEP GRADE C24 TIMBER JOISTS AT 400mm c/c WITH 1No. LAYER OF 18mm PLY SHEATHING TOP						
	STEP IN LEVEL SYMBOL						
L1	CAST IN CHANNEL FOR MASONRY SUPPORT ANGLE BY HALFEN OR SIMILAR. LENGTH TO SUIT CLEAR WINDOW OPENING.						
ABBREVIATIONS:							
FL - SSL - FFL - TOF - TOB - TOPC - TOS - TOW - L/L - H/L - CR -	FORMATION LEVEL STRUCTURAL SLAB LEVEL FINISHED FLOOR LEVEL TOP OF FLOOR TOP OF BEAM TOP OF PILECAP TOP OF STEEL TOP OF WALL LOW LEVEL HIGH LEVEL STEEL BEAM CRANK LINE						

	COLUMN SCHEDU	LE
REF.	SIZE	COMMENTS
C2	300mm DIA. RC COLUMN	
C4	250mm DIA. RC COLUMN	
C5	200x510mm RC COLUMN	
C6	200x450mm RC COLUMN	
C7	300x620mm RC COLUMN	
	BEAM SCHEDULE	E
REF.	SIZE	COMMENTS
B1	BEAM SIZE TBC	

DRAINAGE POSITIONS SHOWN INDICATIVELY REFER TO ARCHITECT FOR SETTING OUT

UCTION OF GROUND
LAB OVER GARAGE
ABEYANCE PENDING
TION FROM CLIENT