



**LEGEND:**

- EXISTING STRUCTURE TO BE RETAINED
- NEW REINFORCED CONCRETE STRUCTURE
- NEW BRICKWORK
- NEW LOADBEARING BLOCKWORK
- B1 NEW STEEL BEAM AND REFERENCE. REFER TO SCHEDULE FOR TYPE AND SIZE.
- P1 NEW PADSTONE AND REFERENCE. REFER TO SCHEDULE FOR TYPE AND SIZE.
- C1 COLUMN REFERENCE
- COLUMN BELOW SYMBOL
- TWO-WAY SPAN OF RC SLAB. REFER TO LAYOUT FOR DEPTH.
- ONE-WAY SPAN OF RC SLAB. REFER TO LAYOUT FOR DEPTH.
- PRECAST CONCRETE PLANKS
- SPAN OF 50x175mm DEEP GRADE C24 TIMBER JOISTS AT 400mm c/c WITH 1No. LAYER OF 18mm PLY SHEATHING TOP
- STEP IN LEVEL SYMBOL
- L1 CAST IN CHANNEL FOR MASONRY SUPPORT ANGLE BY HALFEN OR SIMILAR. LENGTH TO SUIT CLEAR WINDOW OPENING.

**ABBREVIATIONS:**

- FL - FORMATION LEVEL
- SFL - STRUCTURAL SLAB LEVEL
- FFL - FINISHED FLOOR LEVEL
- TOP - TOP OF FLOOR
- TOB - TOP OF BEAM
- TOPC - TOP OF PRECAST
- TOS - TOP OF STEEL
- TOW - TOP OF WALL
- L/L - LOW LEVEL
- H/L - HIGH LEVEL
- CR - STEEL BEAM CRANK LINE

**COLUMN SCHEDULE**

REF.	SIZE	COMMENTS
C2	300mm DIA. RC COLUMN	
C4	250mm DIA. RC COLUMN	
C5	200x10mm RC COLUMN	
C6	200x450mm RC COLUMN	
C7	300x620mm RC COLUMN	

**NOTES:**

- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.

Rev	Date	Description	By	Checked	RM
C2	20/10/12	SERVICE VOIDS ADDED	CD		
C1	17/09/12	CONSTRUCTION ISSUE	MF		

**CROSSACRES**

Job: CROSSACRES

Scale @ A0: 1:50 | Date: 07/12 | By: CD | Checked: RM

Drawing Number: 5236 / 104 | Revision: C2

**Michael Barclay Partnership**  
consulting engineers  
105-109 Strand  
London WC2R 0AA  
T 020 7240 1191 | F 020 7240 2241  
E london@mbp-uk.com  
www.mbp-uk.com

20/10/2012 14:28:17