


NOTES: 1. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.

F:\Projects\5200 - 5299\5236 - Crossacres\11 Drawings\11.3 MBP\Current\Revit\MBP-5236 Revit Model.rvt



			Job	Title			MBP Michael Barclay Partnership
			CROSSACRES	FOUNDATION AND GROUN FLOOR SECTIONS & DETAIL			consulting engineers
						AILS	105-109 Strand
				SHEET 3			London WC2R 0AA
			Drawing Status	Scale @ A1 Date As indicated 07/12	By CD	Checked RM	T 020 7240 1191 F 020 7240 2241
C2	30/10/12 SECTION REVISED	CD			CD		E london@mbp-uk.com
C1	17/09/12 CONSTRUCTION ISSUE	MF	CONSTRUCTION	Drawing Number		Revision	
 Rev	Date Description	Ву		5236 / 122		C2	www.mbp-uk.com

LEGEND:	
	EXISTING STRUCTURE TO BE RETAINED
	NEW REINFORCED CONCRETE STRUCTURE
	NEW BRICKWORK
//////	NEW LOADBEARING BLOCKWORK
B1	NEW STEEL BEAM AND REFERENCE. REFER TO SCHEDULE FOR TYPE AND SIZE
	NEW PADSTONE AND REFERENCE. REFER TO SCHEDULE FOR TYPE AND SIZE.
C1	COLUMN REFERENCE
¢	COLUMN BELOW SYMBOL
	TWO-WAY SPAN OF RC SLAB. REFER TO LAYOUT FOR DEPTH.
	ONE-WAY SPAN OF RC SLAB. REFER TO LAYOUT FOR DEPTH.
~ >	PRECAST CONCRETE PLANKS
<i>Ш</i> //	SPAN OF 50x175mm DEEP GRADE C24 TIMBER JOISTS AT 400mm c/c WITH 1No. LAYER OF 18mm PLY SHEATHING TOP
	STEP IN LEVEL SYMBOL
L1	CAST IN CHANNEL FOR MASONRY SUPPORT ANGLE BY HALFEN OR SIMILAR. LENGTH TO SUIT CLEAR WINDOW OPENING.
ABBREVIATION	S:
FL -	FORMATION LEVEL

FL	-	FORMATION LEVEL
SSL	-	STRUCTURAL SLAB LEVEL
FFL	-	FINISHED FLOOR LEVEL
TOF	-	TOP OF FLOOR
тов	-	TOP OF BEAM
TOPC	-	TOP OF PILECAP
TOS	-	TOP OF STEEL
TOW	-	TOP OF WALL
L/L	-	LOW LEVEL
H/L	-	HIGH LEVEL
CR	-	STEEL BEAM CRANK LINE

	COLUMN SCHEDULE					
REF.	SIZE	COMMENTS				
C2	300mm DIA. RC COLUMN					
C4	250mm DIA. RC COLUMN					
C5	200x510mm RC COLUMN					
C6	200x450mm RC COLUMN					
C7	300x620mm RC COLUMN					
	BEAM SCHEDULE	E				
REF.	SIZE	COMMENTS				
B1	BEAM SIZE TBC					