

**Michael Barclay Partnership LLP**

Bar schedule ref:

|      |    |
|------|----|
| R221 | 01 |
|------|----|

|             |    |
|-------------|----|
| Rev. letter | C1 |
|-------------|----|

Site ref. CROSSACRES

Date prepared: 20.09.2012

Job no.: 5236

Prepared by: SCHO Checked by: REM

| Member   | Bar Mark No. | Type and size | No. of mbrs. | No. Of bars in each | Total | Length of each bar † | Shape Code | A* mm | B* mm | C* mm | D* mm | E/r* mm | Weight (kg) | r e v |
|----------|--------------|---------------|--------------|---------------------|-------|----------------------|------------|-------|-------|-------|-------|---------|-------------|-------|
| DETAIL A | 23           | H 12          | 2            | 16                  | 32    | 1300                 | 23         | 600   | 340   | -400  |       |         | 37          |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| DETAIL B | 09           | H 12          | 4            | 6                   | 24    | 1525                 | 21         | 350   | 120   | -1100 |       |         | 33          |       |
|          | 11           | H 16          | 4            | 9                   | 36    | 1575                 | 13         | 1100  | 145   | -400  |       |         | 90          |       |
|          | 13           | H 12          | 4            | 6                   | 24    | 2000                 | 00         |       |       |       |       |         | 43          |       |
|          | 20           | H 20          | 4            | 6                   | 24    | 2000                 | 00         |       |       |       |       |         | 118         |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| DETAIL C | 04           | H 25          | 2            | 10                  | 20    | 2400                 | 00         |       |       |       |       |         | 185         |       |
|          | 10           | H 16          | 2            | 14                  | 28    | 1800                 | 13         | 1250  | 120   | -500  |       |         | 80          |       |
|          | 11           | H 16          | 2            | 16                  | 32    | 1575                 | 13         | 1100  | 145   | -400  |       |         | 80          |       |
|          | 12           | H 25          | 2            | 6                   | 12    | 2000                 | 00         |       |       |       |       |         | 92          |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| DETAIL D | 03a          | H 12          | 2            | 1                   | 2     | 2100                 | 00         |       |       |       |       |         | 4           |       |
|          | 03b          | H 12          | 2            | 1                   | 2     | 2125                 | 00         |       |       |       |       |         | 4           |       |
|          | 03c          | H 12          | 2            | 1                   | 2     | 2175                 | 00         |       |       |       |       |         | 4           |       |
|          | 03d          | H 12          | 2            | 1                   | 2     | 2225                 | 00         |       |       |       |       |         | 4           |       |
|          | 03e          | H 12          | 2            | 1                   | 2     | 2325                 | 00         |       |       |       |       |         | 4           |       |
|          | 03f          | H 12          | 2            | 1                   | 2     | 2450                 | 00         |       |       |       |       |         | 4           |       |
|          | 03g          | H 12          | 2            | 1                   | 2     | 2625                 | 00         |       |       |       |       |         | 5           |       |
|          | 03h          | H 12          | 2            | 1                   | 2     | 2875                 | 00         |       |       |       |       |         | 5           |       |
|          | 06a          | H 12          | 2            | 1                   | 2     | 3225                 | 00         |       |       |       |       |         | 6           |       |
|          | 06b          | H 12          | 2            | 1                   | 2     | 3250                 | 00         |       |       |       |       |         | 6           |       |
|          | 06c          | H 12          | 2            | 1                   | 2     | 3300                 | 00         |       |       |       |       |         | 6           |       |
|          | 06d          | H 12          | 2            | 1                   | 2     | 3350                 | 00         |       |       |       |       |         | 6           |       |

| Diameter | mm | 6 | 8 | 10 | 12  | 16  | 20  | 25  | 32 | 40 | 50 |
|----------|----|---|---|----|-----|-----|-----|-----|----|----|----|
| Weight   | kg | 0 | 0 | 0  | 169 | 249 | 118 | 277 | 0  | 0  | 0  |

|                            |            |
|----------------------------|------------|
| <b>ALL BARS THIS SHEET</b> |            |
| <b>TOTAL (kg)</b>          | <b>813</b> |

This schedule conforms to BS 8666:2005

\* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

Michael Barclay Partnership LLP is a Limited Liability Partnership registered in England and Wales - Reg No 0C325164 - Registered address 105-109 Strand London WC2R 0AA

**Michael Barclay Partnership LLP**

Bar schedule ref:

R221 02

Rev. letter C1

Site ref. CROSSACRES

Date prepared: 20.09.2012

Job no.: 5236

Prepared by: SCHO Checked by: REM

| Member   | Bar Mark No. | Type and size | No. of mbrs. | No. Of bars in each | Total | Length of each bar † | Shape Code | A* mm | B* mm | C* mm | D* mm | E/r* mm | Weight (kg) | r e v |
|----------|--------------|---------------|--------------|---------------------|-------|----------------------|------------|-------|-------|-------|-------|---------|-------------|-------|
| DETAIL D | 06e          | H 12          | 2            | 1                   | 2     | 3450                 | 00         |       |       |       |       |         | 6           |       |
|          | 06f          | H 12          | 2            | 1                   | 2     | 3575                 | 00         |       |       |       |       |         | 6           |       |
|          | 06g          | H 12          | 2            | 1                   | 2     | 3750                 | 00         |       |       |       |       |         | 7           |       |
|          | 06h          | H 12          | 2            | 1                   | 2     | 4000                 | 00         |       |       |       |       |         | 7           |       |
|          | 13           | H 12          | 2            | 10                  | 20    | 2000                 | 00         |       |       |       |       |         | 36          |       |
|          | 14           | H 12          | 2            | 4                   | 8     | 1725                 | 21         | 350   | 120   | -1300 |       |         | 12          |       |
|          | 21           | H 12          | 2            | 6                   | 12    | 1550                 | 21         | 350   | 145   | -1100 |       |         | 17          |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| DETAIL E | 02           | H 12          | 1            | 6                   | 6     | 2350                 | 00         |       |       |       |       |         | 13          |       |
|          | 05           | H 12          | 1            | 20                  | 20    | 2650                 | 21         | 800   | 145   | -1750 |       |         | 47          |       |
|          | 07           | H 12          | 1            | 6                   | 6     | 2225                 | 21         | 800   | 120   | -1350 |       |         | 12          |       |
|          | 08           | H 12          | 1            | 6                   | 6     | 1800                 | 00         |       |       |       |       |         | 10          |       |
|          | 09           | H 12          | 1            | 8                   | 8     | 1525                 | 21         | 350   | 120   | -1100 |       |         | 11          |       |
|          | 13           | H 12          | 1            | 13                  | 13    | 2000                 | 00         |       |       |       |       |         | 23          |       |
|          | 16           | H 16          | 1            | 4                   | 4     | 2000                 | 00         |       |       |       |       |         | 13          |       |
|          | 18           | H 12          | 1            | 6                   | 6     | 1175                 | 21         | 550   | 120   | -550  |       |         | 6           |       |
|          | 21           | H 12          | 1            | 1                   | 1     | 1550                 | 21         | 350   | 145   | -1100 |       |         | 1           |       |
|          | 22           | H 12          | 1            | 6                   | 6     | 4000                 | 00         |       |       |       |       |         | 21          |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| DETAIL F | 15           | H 16          | 1            | 5                   | 5     | 1400                 | 13         | 1000  | 120   | -350  |       |         | 11          |       |
|          | 16           | H 16          | 1            | 25                  | 25    | 2000                 | 00         |       |       |       |       |         | 79          |       |
|          | 17           | H 16          | 1            | 2                   | 2     | 1625                 | 13         | 1200  | 145   | -350  |       |         | 5           |       |
|          | 18           | H 12          | 1            | 5                   | 5     | 1175                 | 21         | 550   | 120   | -550  |       |         | 5           |       |
|          | 19           | H 16          | 1            | 4                   | 4     | 2500                 | 00         |       |       |       |       |         | 16          |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|          |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |

| Diameter | mm | 6 | 8 | 10 | 12  | 16  | 20 | 25 | 32 | 40 | 50 |
|----------|----|---|---|----|-----|-----|----|----|----|----|----|
| Weight   | kg | 0 | 0 | 0  | 240 | 124 | 0  | 0  | 0  | 0  | 0  |

|                            |            |
|----------------------------|------------|
| <b>ALL BARS THIS SHEET</b> |            |
| <b>TOTAL (kg)</b>          | <b>363</b> |

This schedule conforms to BS 8666:2005

\* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

Michael Barclay Partnership LLP is a Limited Liability Partnership registered in England and Wales - Reg No 0C325164 - Registered address 105-109 Strand London WC2R 0AA

**Michael Barclay Partnership LLP**

Bar schedule ref:

|      |    |
|------|----|
| R221 | 03 |
|------|----|

|             |    |
|-------------|----|
| Rev. letter | C1 |
|-------------|----|

Site ref. CROSSACRES

Date prepared: 20.09.2012

Job no.: 5236

Prepared by: SCHO Checked by: REM

| Member  | Bar Mark No. | Type and size | No. of mbrs. | No. Of bars in each | Total | Length of each bar † | Shape Code | A* mm | B* mm | C* mm | D* mm | E/r* mm | Weight (kg) | r e v |
|---------|--------------|---------------|--------------|---------------------|-------|----------------------|------------|-------|-------|-------|-------|---------|-------------|-------|
| BEAM 1  | 27           | H 12          | 2            | 10                  | 20    | 5000                 | 00         |       |       |       |       |         | 89          |       |
|         | 28           | H 10          | 2            | 19                  | 38    | 2250                 | 51         | 130   | 915   | 130   | -130  |         | 53          |       |
|         | 34           | H 16          | 2            | 2                   | 4     | 5000                 | 00         |       |       |       |       |         | 32          |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| BEAM 2  | 26           | H 10          | 2            | 19                  | 38    | 2275                 | 51         | 140   | 915   | 130   | -130  |         | 53          |       |
|         | 27           | H 12          | 2            | 10                  | 20    | 5000                 | 00         |       |       |       |       |         | 89          |       |
|         | 34           | H 16          | 2            | 2                   | 4     | 5000                 | 00         |       |       |       |       |         | 32          |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| OPEN.   | 01           | H 12          | 4            | 8                   | 32    | 1300                 | 00         |       |       |       |       |         | 37          |       |
| 200x20  |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| OPEN.   | 01           | H 12          | 2            | 8                   | 16    | 1300                 | 00         |       |       |       |       |         | 18          |       |
| 200x300 | 24           | H 12          | 2            | 2                   | 4     | 1200                 | 21         | 550   | 145   | -550  |       |         | 4           |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| OPEN.   | 01           | H 12          | 2            | 8                   | 16    | 1300                 | 00         |       |       |       |       |         | 18          |       |
| 300x200 | 18           | H 12          | 2            | 2                   | 4     | 1175                 | 21         | 550   | 120   | -550  |       |         | 4           |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |
| OPEN.   | 01           | H 12          | 1            | 4                   | 4     | 1300                 | 00         |       |       |       |       |         | 5           |       |
| 600x200 | 18           | H 12          | 1            | 6                   | 6     | 1175                 | 21         | 550   | 120   | -550  |       |         | 6           |       |
|         | 25           | H 12          | 1            | 4                   | 4     | 1700                 | 00         |       |       |       |       |         | 6           |       |
|         |              |               |              |                     |       |                      |            |       |       |       |       |         |             |       |

| Diameter | mm | 6 | 8 | 10  | 12  | 16 | 20 | 25 | 32 | 40 | 50 |
|----------|----|---|---|-----|-----|----|----|----|----|----|----|
| Weight   | kg | 0 | 0 | 106 | 277 | 63 | 0  | 0  | 0  | 0  | 0  |

|                            |            |
|----------------------------|------------|
| <b>ALL BARS THIS SHEET</b> |            |
| <b>TOTAL (kg)</b>          | <b>446</b> |

This schedule conforms to BS 8666:2005

\* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

Michael Barclay Partnership LLP is a Limited Liability Partnership registered in England and Wales - Reg No 0C325164 - Registered address 105-109 Strand London WC2R 0AA

**Michael Barclay Partnership LLP**

Bar schedule ref:

|      |    |
|------|----|
| R221 | 04 |
|------|----|

|             |    |
|-------------|----|
| Rev. letter | C1 |
|-------------|----|

Site ref. CROSSACRES

Date prepared: 20.09.2012

Job no.: 5236

Prepared by: SCHO Checked by: REM

| Member    | Bar Mark No. | Type and size | No. of mbrs. | No. Of bars in each | Total | Length of each bar † | Shape Code | A* mm | B* mm | C* mm | D* mm | E/r* mm | Weight (kg) | r e v |
|-----------|--------------|---------------|--------------|---------------------|-------|----------------------|------------|-------|-------|-------|-------|---------|-------------|-------|
| PS TYPE 1 | 29           | H 10          | 2            | 26                  | 52    | 400                  | 22         | 130   | 145   | 60    | -120  |         | 13          |       |
|           | 30           | H 10          | 2            | 12                  | 24    | 800                  | 00         |       |       |       |       |         | 12          |       |
| PS TYPE 2 | 29           | H 10          | 2            | 104                 | 208   | 400                  | 22         | 130   | 145   | 60    | -120  |         | 51          |       |
|           | 31           | H 10          | 2            | 24                  | 48    | 1800                 | 00         |       |       |       |       |         | 53          |       |
|           | 33           | H 10          | 2            | 24                  | 48    | 700                  | 22         | 130   | 445   | 60    | -120  |         | 21          |       |
| PS TYPE 3 | 29           | H 10          | 1            | 31                  | 31    | 400                  | 22         | 130   | 145   | 60    | -120  |         | 8           |       |
|           | 32           | H 10          | 1            | 14                  | 14    | 1250                 | 00         |       |       |       |       |         | 11          |       |
|           | 33           | H 10          | 1            | 17                  | 17    | 700                  | 22         | 130   | 445   | 60    | -120  |         | 7           |       |
| PS TYPE 4 | 29           | H 10          | 1            | 31                  | 31    | 400                  | 22         | 130   | 145   | 60    | -120  |         | 8           |       |
|           | 32           | H 10          | 1            | 14                  | 14    | 1250                 | 00         |       |       |       |       |         | 11          |       |
|           | 33           | H 10          | 1            | 29                  | 29    | 700                  | 22         | 130   | 445   | 60    | -120  |         | 13          |       |

| Diameter | mm | 6 | 8 | 10  | 12 | 16 | 20 | 25 | 32 | 40 | 50 |
|----------|----|---|---|-----|----|----|----|----|----|----|----|
| Weight   | kg | 0 | 0 | 206 | 0  | 0  | 0  | 0  | 0  | 0  | 0  |

|                            |            |
|----------------------------|------------|
| <b>ALL BARS THIS SHEET</b> |            |
| <b>TOTAL (kg)</b>          | <b>206</b> |

This schedule conforms to BS 8666:2005

\* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

Michael Barclay Partnership LLP is a Limited Liability Partnership registered in England and Wales - Reg No 0C325164 - Registered address 105-109 Strand London WC2R 0AA